JP362244591A (

Oct. 24, 1987

L3:

218 of 277

MULTI-HEAD LASER MARKER

INVENTOR: NAKANO, MASAKAZU

APPLICANT: NEC CORP
APPL NO: JP 61084983
DATE FILED: Apr. 15, 1986

INT-CL: B23K26/08; B23K26/00; B23K26/06

ABSTRACT:

PURPOSE: To decrease troubles and to stabilize the change-over of the optical path of a laser beam by using a non-mechanical optical switch means for changing over of the optical path of the laser beam.

CONSTITUTION: Electricity is conducted to conductive films 6, 7 to heat the films, then the liquid at the point along the inside surface thereof evaporates to form thin vapor layers along the films 6, 7. The refractive index of the vapor layer between the film 6 and the liquid 12 is approximately 1 and the refractive index of a glass substrate and the film is about 1.5 and therefore, the optical path of the incident laser beam 2 on the glass substrate 4 is reflected by the vapor layers and is changed over to the laser beam 13 side connected to a marking optical system 19. A power source 10 is time-dividedly operated to heat the conductive films 6, 7, by which the optical path of the laser beam 2 is selectively changed over to either of marking optical systems 19, 21, by which the marking operation is efficiently executed.

COPYRIGHT: (C) 1987, JPO&Japio

⑩日本国特許庁(JP)

①特許出願公開

⑩公開特許公報(A)

昭62-244591

@Int.Cl.4

識別記号

厅内整理番号

43公開 昭和62年(1987)10月24日

B 23 K 26/08 26/00 26/06

K - 7920 - 4E

B-7920-4E C-7920-4E

審査請求 未請求 発明の数 1 (全4頁)

❷発明の名称

创出

マルチヘツドレーザマーカ

②特 昭61-84983

砂出 昭61(1986)4月15日

砂発 明 者 中野

正 和

東京都港区芝5丁目33番1号 日本電気株式会社内

願 日本電気株式会社 人 東京都港区芝5丁目33番1号

砂代 理 弁理士 山内 梅雄

明

1. 発明の名称

マルチヘッドレーザマーカ

2. 特許請求の範囲

1. レーザ光源から発射されたレーザピームを、 その光路中に設けられた光スイッチにより、複数 の光路に時分割的に切り換えて、光ファイバおよ びこれに接続しているマーキングヘッドよりなる 複数のマーキング光学系に選択的に導くようにし たレーザマーカにおいて、上記光スイッチが、透 明の導電性被膜を内面に有する2枚のガラス基板 を、微小間隙をもって平行に対向させると共に、 その周囲を被密に封止してスペースを形成し、屈 折率が透明導電性被膜の屈折率に近い液体を上記 スペース内に充填させ、透明導電性被膜への通電 によりこれを加熱して透明導電性披膜に沿って薄 い蒸気層を生成し、この蒸気層による透明導電性 彼膜の内面における屈折率の変化によりレーザビ - ムの光路の切り換えを可能にしてなることを特 徴とするマルチヘッドレーザマーカ。

1

2. 光スイッチのガラス基板の両側にレーザ光 最をそれぞれ配設し、いずれかのレーザ光源から 発射されるレーザビームを、上記光スイッチの切 り換えにより選択される複数のマーキング光学系 のいずれかに導くことを特徴とする特許辨求の範 囲第1項記載のマルチヘッドレーザマーカ。 3. 発明の詳細な説明

〔産業上の利用分野〕

本発明は、マーキングヘッドに光ファイバで接 続されてなるマーキング光学系を有するレーザマ ーカに係わり、詳しくは、レーザピームの光路を 光スイッチにより切り換えて、レーザピームを複 数のマーキング光学系のいずれかに導くようにし たマルチヘッドレーザマーカに関する。

〔従来の技術〕

マーキングヘッドに光ファイバで接続されてな るマーキング光学系を複数設け、かつ、レーザビ ームを、いずれかのマーキング光学系に選択的に 切り換えて導入する手段としては、従来、レーザ ピームの光路に位置する反射鏡を、モータにより

